





TPO TRANSITION PIECE



TPO TRANSITION PIECE

Overview

- For use with SQU-HT(S) and SSQU range
- Rectangular to round transition
- 1.2mm galvanised steel



Product Code	A	B	C	ØD	Weight kg
260-SQU-TPO-A	437	215	315	315	5
260-SQU-TPO-B	607	269	500	500	9
260-SQU-TPO-C	607	269	400	400	7
260-SQU-TPO-D	737	299	560	560	12
260-SQU-TPO-E	737	299	500	500	10
260-SQU-TPO-F	937	349	630	630	18
260-SQU-TPO-G	937	349	710	710	18
260-SSQU-TPO-A	437	162	315	315	4
260-SSQU-TPO-B	607	222	500	500	9
260-SSQU-TPO-C	607	246	400	400	8
260-SSQU-TPO-D	737	239	560	560	12
260-SSQU-TPO-E	737	301	500	500	11
260-SSQU-TPO-F	937	295	710	710	18
260-SSQU-TPO-G	937	343	710	710	18
260-SSQU-TPO-H	937	343	630	630	16



Dimensions in mm.

TPO TRANSITION PIECE

Notes

[illegible]

Building Services

Tel **+44 (0) 1384 275800**
Fax **+44 (0) 1384 275810**
Email **info@eltafans.co.uk**

46 Third Avenue, Pensnett Trading Estate, Kingswinford,
West Midlands, DY6 7US United Kingdom

Applied Technology & Building Services Export

Tel **+44 (0) 1489 566500**
Fax **+44 (0) 1489 566555**
Email **at@eltafans.co.uk / export@eltafans.co.uk**

17 Barnes Wallis Road, Segensworth East Industrial Estate,
Fareham, Hampshire, PO15 5ST United Kingdom

eltafans.com

260-TPO-03-2018 Issue A



BS EN ISO 9001:2015 FM 556465



A MEMBER OF  ELTA GROUP